

AOKOL
澳克莱

INDUSTRIAL
Mobile Air Conditioner

工业移动空调

局部精准降温 🔑 Local Precise Cooling



APPLICATION AREAS

应用领域

◆ 满足多元便捷降温需求

灵活移动，一机多用。针对传统空调无法覆盖的“高热、开放、局部”空间，提供随心所欲的制冷新体验。无需固定安装，满足从工业生产到商业休闲的多元化降温需求。

◆ Meeting Diverse and Flexible Cooling Demands

High mobility, multi-purpose utility. Designed for "high-heat, open-air, and localized" spaces that traditional air conditioners cannot reach, this unit delivers a flexible cooling experience on demand. With no fixed installation required, it effortlessly adapts to diverse cooling needs, ranging from industrial production to commercial leisure.



车间工位
Workshop Workstation



机房设备
Smart-UPS RT



户外聚会
Outdoor Gathering



临街商铺
Storefront



酒店厨房
Hotel Kitchen



配电箱
Distribution Box

Compressor Cooling Local Rapid Cooling

压缩机制冷 局部快速降温

Engineered for high-heat environments, it delivers powerful cooling directly to the core areas, instantly repelling stifling heat for efficient and precise temperature control.

无惧局部高温与多变环境，打破空间束缚
靶向送风，即刻享受清凉舒适的体感

快速
制冷
Rapid cooling

高能
压缩机
High-energy
compressor

节能
省电
Energy saving

Integrated Design NO Installation Required

一体式设计 无需安装



Powerful functionality and easy to use

功能强大 使用方便



45°C高温不停机，适用温度范围大

45°C high temperature without stopping, suitable for a wide temperature range



风管可随意弯曲拉伸，精准对点降温

The air duct can be bent and stretched freely, providing precise point-to-point cooling



远距离送风，降温范围大

Long distance air supply, large cooling range



万向轮设计，灵活移动

Universal wheel design, flexible movement



冷热腔体隔离出风，减少冷量损失

Separated cold and hot air chambers for air discharge, reducing cooling loss.



全金属护甲，结实耐用

Full Metal Body, Sturdy and durable.



一个出风口
标准规格型机器

Single air outlet
Standard specification model



二个出风口
针对两人以上设计

Two air outlets
Designed for two or more people



三个出风口
适用于大范围制冷

Three air outlets
Suitable for wide-area cooling



空调
Air Conditioner



取暖器
Space Heater



除湿机
Dehumidifier



大风扇
Big Fan



干衣机
Clothes Dryer




净化器
Air Purifier

技术参数表 PARAMETERS

产品型号/Model	ACY-09KC-M	ACY-12KC-M	ACY-15KC-M	ACY-18KC-M	ACY-22KC-M
适用电源/ Power Supply	220V~50Hz				
制冷量/ Cooling Capacity	9000BTU	12000BTU	15000BTU	18000BTU	22000BTU
	2600W	3500W	4500W	5200W	6500W
输入功率/ Input Power	1250W	1680W	2250W	2620W	3300W
输入电流/ Input Current	5.7A	7.6A	10.3A	11.9A	15A
风量/ Cold Air volume	450m³/h	550m³/h	650m³/h	650m³/h	850m³/h
风管数量/ Air Pipe Quantity	Heat/1+Cool/1根/Root	Heat/1+Cool/2根/Root	Heat/1+Cool/3根/Root	Heat/1+Cool/3根/Root	Heat/1+Cool/3根/Root
风管尺寸/ Air Pipe Dimension	φ180×1&φ125×1	φ180×1&φ125×2	φ200×1&φ125×3	φ200×1&φ125×3	φ200×1&φ125×3
水箱容量/ Water Tank Capacity	5L	5L	10L	10L	10L
压缩机类型/ Compressor Type	旋转式/Rotary Type				
制冷剂类型/ Refrigerant Type	R32				
适用环境温度范围/ Applicable Ambient Temp	5°C~43°C				
噪音/Noise	52dB(A)	55dB(A)	56dB(A)	58dB(A)	59dB(A)
产品净尺寸/ Net Dimension(L*D*H)	410×480×900mm	410×480×900mm	500×480×1070mm	500×480×1070mm	540×480×1210mm

◆ 数据在SGS批准的AOKOL实验室进行了测试； ◆ 由于生产过程中的不断改进和更新，以上数据仅供参考。
◆ The data was tested in SGS approved AOKOL low tempera turelaboratory.
◆ Since the continuous improvement and update in the production process, The above data is for reference only.

产品外观 Product Appearance



INDUSTRIAL

Mobile Air Conditioner

工业移动空调

局部精准降温 🌀 Local Precise Cooling

澳克莱环境科技股份有限公司 AOKOL ENVIRONMENT TECHNOLOGY CO.,LTD

地址: 浙江省宁波市江北区申明亭路239号

电话: 400 6479 858 邮箱: info@aokol.com 网址: www.aokol.com.cn

Address: NO.239 Shenmingting Road, Jiangbei District, Ningbo, Zhejiang, China

Tel: +86-574-8757 9986 E-mail: info@aokol.com Web: http://www.aokol.com http://www.aokol.com.cn

- ◆ 澳克莱环境科技股份有限公司保留更改产品设计、参数、宣传的权利、届时恕不另行通知。
- ◆ 所有资料已经仔细核对, 如有印刷错漏, 本公司不承担因此产生的一切后果。
- ◆ 如有更新, 过期资料一律作废, 请以最新版本为准, 本公司保留以上数据的最终解释权。[2026年06月版]
- ◆ AOKOL ENVIRONMENT TECHNOLOGY CO., LTD. reserves the right to change product design, specifications, and publicity without prior notice.
- ◆ All data have been carefully checked, and our company shall not be held liable for any consequences arising from printing errors or omissions.
- ◆ In case of updates, previous versions shall become invalid. Please refer to the latest version. The company reserves the final right to interpret the above data. [June 2026 Edition]

